



THE NEXT GENERATION OF HOME CINEMA



THE JBL MODERN AUDIO SERIES AND
JBL STAGE 2 SERIES



STAGE 2

LOUDSPEAKERS & MODERN AUDIO AVRS



JBL

250B



MA510


Meet the new way to home cinema. JBL's Modern Audio (MA) Audio/Video Receivers and Stage 2 Loudspeakers are easy to operate, simple to connect to and beautiful in every space. Bring your **music**, **movies**, **sports**, and **games** to life like never before.

STAGE 2
LOUDSPEAKERS &
MODERN
AUDIO AVRS
JBL



JBL STAGE 2 LOUDSPEAKERS & MODERN AUDIO AVRS

04



A FRESH DESIGN THAT FITS INTO YOUR LIFE

Customize your home audio experience with the system that fits you. Our AVRs and Stage 2 speakers give you the opportunity to create the system you want—from traditional stereo to full Dolby Atmos®, the possibilities are endless. And with JBL's stand-out designs each piece is a conversation starter.

HIGH-PERFORMANCE AUDIO FOR THE NEXT GENERATION

JBL is known worldwide as a leader in audio in the cinema, recording studios, and more. And with high-performance Class D amplifier power and patented speaker technology, you can bring home that same immersive, cinema sound. All Stage 2 full-range speakers feature JBL HDI Horn-loaded, anodized 1" tweeters that deliver high-frequency performance throughout the room so everyone can enjoy the sound.

EASY TO SET UP

Take the confusion and clutter out of setting up your receiver. The JBL Modern Audio (MA) AVR series provides a reimagined approach that's easy to set up and control. A streamlined interface allows you to seamlessly dial in your system, and the free EZ Set EQ app provides room equalization for optimized sound quality. Setup and connection have never been simpler.





JBL
STAGE 2
LOUDSPEAKERS &
MODERN
AUDIO AVRS

STREAM YOUR WAY

We know flexibility is key when streaming your favorite content – and the Modern Audio (MA) AVR series has you covered. All models offer Bluetooth streaming, and select models allow you to stream using your home network, Apple Airplay 2 and Chromecast built-in™. Enjoying your favorite sounds in one place has never been easier.

MODERN AUDIO AV RECEIVERS



Experience unparalleled audio performance with JBL MA Receivers. Featuring advanced processing and high-resolution DACs, these receivers deliver rich, immersive sound. With seamless wireless streaming, versatile connectivity options, and intuitive controls, **JBL MA Receivers are perfect for any home audio setup, providing exceptional clarity and dynamic range.**

MA310



Page 09

MA510



Page 10

MA710



Page 11

MA7100HP



Page 12

MA9100HP



Page 13

Featuring advanced processing and high-resolution DACs




5.2-channel 4K AV Receiver

The **JBL MA310** is an AV Receiver that delivers extraordinary performance with 4K HDMI specifications for a supreme home cinema experience. Seamlessly integrate your smart TV or projector with 4 HDMI inputs and 1 output, plus ARC. With native 5-channel decoding of Dolby and DTS formats, the MA310 can deliver incredible cinema experiences. It is designed with a passion for music and movies, bringing both to life with true high fidelity. Additional music content can be accessed via Bluetooth. The MA310 features five channels of low noise Class D amplification for real world power to all channels.

FEATURES AND BENEFITS

- 5.2-channel AV receiver that delivers extraordinary audio performance with 4K video for a supreme home cinema experience
- Seamless integration with smart TVs, gaming consoles, streaming, cable boxes and more with 4 HDMI inputs and 1 output, plus ARC
- Native 5-channel decoding of Dolby and DTS formats
- Designed with a passion for music and movies, bringing both to life with true high fidelity
- Stream music wirelessly via Bluetooth v5.1
- On-screen display for easy system setup and operation (via HDMI)
- Five channels of low noise Class D amplification for real world power to all channels
- EZ Set EQ provides easy-to-use room equalization for optimized sound quality



MA310






MA510

FEATURES AND BENEFITS

- 5.2-channel AV receiver that delivers extraordinary audio performance with 8K video for the ultimate home cinema experience
- Seamless integration with smart TVs, gaming consoles, streaming, cable boxes and more with 4 HDMI inputs and 1 output, plus eARC
- Native 5-channel decoding of Dolby and DTS formats
- Designed with a passion for music and movies, bringing both to life with true high fidelity
- Stream music wirelessly via Bluetooth and network streaming (Apple Airplay 2, Google Chromecast)
- On-screen display for easy system setup and operation (via HDMI)
- Five channels of low noise Class D amplification for real world power to all channels
- EZ Set EQ provides easy-to-use room equalization for optimized sound quality

5.2-channel 8K AV Receiver

The **JBL MA510** is an AV Receiver that delivers spectacular realism with 8K HDMI specifications for a supreme home cinema experience. Seamlessly integrate your smart TV or projector with 4 HDMI inputs and 1 output, plus eARC. With native 5channel decoding of Dolby and DTS formats, the MA510 can deliver incredible cinema experiences. It is designed with a passion for music and movies, bringing both to life with true high fidelity. Additional music content can be accessed via Bluetooth and network streaming. The MA510 features five channels of low noise Class D amplification for real world power to all channels.



FEATURES AND BENEFITS

- 7.2-channel AV receiver that delivers stunning realism with the latest 8K video for the ultimate home cinema experience
- Seamless integration with smart TVs, gaming consoles, streaming, cable boxes and more with 6 HDMI inputs and 1 output, plus eARC
- Dolby Atmos and DTS:X decoding, supports up to 7.1 or 5.1.2 channel configurations
- Stream music wirelessly via Bluetooth and network streaming (Apple Airplay 2, Google Chromecast)
- Moving magnet phono input for connecting a turntable
- On-screen display for easy system setup and operation (via HDMI)
- Seven channels of low noise Class D amplification for real world power to all channels
- EZ Set EQ provides easy-to-use room equalization for optimized sound quality


7.2-channel 8K AV Receiver

The JBL **MA710** is an AV Receiver that delivers stunning realism with the latest 8K HDMI specifications and native 7-channel decoding of immersive audio from Dolby Atmos and DTS:X for the ultimate home cinema experience. Seamlessly integrate your smart TV or projector with 6 HDMI inputs and 1 output, plus eARC. It is designed with a passion for music and movies, bringing both to life with true high fidelity. The MA710 features seven channels of low noise Class D amplification for real world power to all channels. In addition to the onboard Moving Magnet phono input for connecting a turntable, additional music content can be accessed immediately with integrated streaming using Apple Airplay2, Google Chromecast, and Bluetooth AptX Adaptive. Audio sources can be played to a second Zone, making audio available in a secondary location. In addition to physical controls, the MA710 allows for IP control for third party control system integration.

MA7100HP

7.2-channel 8K High Performance AV Receiver

The JBL **MA7100HP** is a high-performance AV Receiver that delivers stunning realism with the latest 8K HDMI specifications and native 7-channel decoding of immersive audio from Dolby Atmos and DTS:X for the ultimate home cinema experience. Seamlessly integrate your smart TV or projector with 6 HDMI inputs and 2 outputs, plus eARC. Designed with a passion for music and movies, the MA7100HP brings both to life with true high fidelity. The MA7100HP features seven channels of low-noise Class D amplification for real world power to all channels. In addition to the onboard Moving Magnet phono input for connecting a turntable, additional music content can be accessed immediately with integrated streaming using Apple Airplay2, Google Chromecast, and Bluetooth AptX Adaptive. Taking performance to the next level, the MA7100HP comes “Dirac Live Ready” for automatic room correction, assuring audiophile-quality sonics and allows integrators and power-users to optimize the system to their personal room acoustics. Featuring a secondary HDMI video output and audio Zone, content can also be made available in a secondary location. In addition to physical controls, the MA7100HP allows for IP control for third party control system integration.



FEATURES AND BENEFITS

- High-performance 7.2-channel AV receiver that delivers stunning realism with the latest 8K video for the ultimate home cinema experience
- Seamless integration with smart TVs, gaming consoles, streaming, cable boxes and more with 6 HDMI inputs and 2 outputs, plus eARC
- Dolby Atmos and DTS:X decoding, supports up to 7.1 or 5.1.2 channel configurations
- Stream music wirelessly via Bluetooth and network streaming (Apple Airplay 2, Google Chromecast)
- Seven channels of powerful low noise Class D amplification for real world power to all channels
- EZ Set EQ provides easy-to-use room equalization for optimized sound quality
- Comes Dirac Live Ready, fully prepared to run Dirac Live – the worlds most advanced room correction software




9.2-channel 8K High Performance AV Receiver

The JBL **MA9100HP** is a high-performance AV Receiver that delivers stunning realism with the latest 8K HDMI specifications and native 9-channel decoding of immersive audio from Dolby Atmos and DTS:X for the ultimate home cinema experience. Seamlessly integrate your smart TV or projector with 6 HDMI inputs and 2 outputs, plus eARC. It is designed with a passion for music and movies, bringing both to life with true high fidelity. The MA9100HP features nine channels of low noise Class D amplification for real world power to all channels. In addition to the onboard Moving Magnet phono input for

connecting a turntable, additional music content can be accessed immediately with integrated streaming using Apple Airplay2, Google Chromecast, and Bluetooth AptX Adaptive. Taking performance to the next level, the MA9100HP comes “Dirac Live Ready” for automatic room correction, assuring audiophile-quality sonics and allowing integrators and power-users to optimize the system to their personal room acoustics. Featuring a secondary HDMI video output and audio Zone, content can be made available in a secondary location. In addition to physical controls, the MA9100HP allows for IP control for third party control system integration.

FEATURES AND BENEFITS

- High-performance 9.2-channel AV receiver that delivers stunning realism with the latest 8K video for the ultimate home cinema experience
- Seamless integration with smart TVs, gaming consoles, streaming, cable boxes and more with 6 HDMI inputs and 2 outputs, plus eARC
- Dolby Atmos and DTS:X decoding, supports up to 9.1 or 5.1.4 channel configurations
- Stream music wirelessly via Bluetooth and network streaming (Apple Airplay 2, Google Chromecast)
- Seven channels of powerful low noise Class D amplification for real world power to all channels
- EZ Set EQ provides easy-to-use room equalization for optimized sound quality
- Comes Dirac Live Ready, fully prepared to run Dirac Live – the worlds most advanced room connection software



SPEC COMPARISON



	MA310	MA510	MA710	MA7100HP	MA9100HP
DESCRIPTION	5.1-channel 4K AV Receiver	5.1-channel 4K AV Receiver	7.1-channel 8K AV Receiver	7.1-channel High-Performance 8K AV Receiver	9.1-channel High-Performance 8K AV Receiver
CHANNELS	5.2	5.2	7.2	7.2	9.2
POWER (W)	Max 200W Standby <0.5W	Max 300W Standby <0.5W	Max 500W Standby <0.5W	Max 700W Standby <0.5W	Max 900W Standby <0.5W
AMPLIFIER CLASS	D	D	D	D	D
INPUTS	4 HDMI 1 Coaxial 1 Optical 2 RCA	4 HDMI 1 Coaxial 1 Optical 2 RCA	6 HDMI 1 Coaxial 1 Optical 2 RCA	6 HDMI 1 Coaxial 1 Optical 2 RCA	6 HDMI 1 Coaxial 1 Optical 2 RCA
OUTPUTS	1 HDMI	1 HDMI	1 HDMI	2 HDMI	2 HDMI
DIMENSIONS (HXWxD)	4.3" (109.9mm) x 17.0" (432.0mm) x 13.7" (347.6mm)	4.3" (109.9mm) x 17.0" (432.0mm) x 13.7" (347.6mm)	4.3" (109.9mm) x 17.0" (432.0mm) x 13.7" (347.6mm)	5.3" (135.0mm) x 17.0" (432.0mm) x 15.6" (396.4mm)	5.3" (135.0mm) x 17.0" (432.0mm) x 15.6" (396.4mm)
SKU(S)	JBLMA310WHTAM JBLMA310BLKAM	JBLMA510WHTAM JBLMA510BLKAM	JBLMA710WHTAM JBLMA710BLKAM	JBLMA7100HPWHTAM JBLMA7100HPBLKAM	JBLMA9100HPWHTAM JBLMA9100HPBLKAM



TECHNICAL SPECIFICATIONS

JBL MA310

VIDEO FEATURES

- HDMI Audio Return Channel: Yes
- 4K HDMI input connectors (HDMI 2.0, HDCP 2.1 up to 4K/60Hz Ultra HD): 4
- HDR: Yes

AUDIO FEATURES

- Pure Direct: Yes
- EZ Set EQ: Yes
- DA converter: 192kHz/24-bit
- Channels: 5.2
- Rated Power @ 8Ω (1kHz, 2 channels driven, 0.5% THD max): 60 W RMS
- Rated Power @ 4Ω (1kHz, 2 channels driven, 0.5% THD max): 100 W RMS
- HDMI Input/Output: 4 / 1
- Bluetooth receive: Yes (v5.1, Low Energy)
- Digital Audio Input: 1 Coax, 1 Optical
- Stereo analog input: 2 single-ended RCA
- Pre-Out (single ended RCA): Subwoofer 1, Subwoofer 2

DIMENSION AND WEIGHT

- Dimensions incl. feet and speaker terminals (H x W x D): 4.3" x 17.0" x 13.7" (109.2mm x 432.0mm x 347.6mm)
- Weight: 11.3lb (5.1kg)

JBL MA510

VIDEO FEATURES

- HDMI eARC: Yes
- HDMI Audio Return Channel: Yes
- 8K HDMI input connectors (HDMI 2.1, HDCP 2.3 up to 8K/60Hz, 4K/120Hz): 4
- HDR 10+, Dolby Vision: Yes, Yes

AUDIO FEATURES

- File format: MP3 / MPEG-4 AAC: up to 48 kHz / 320kbps
WMA: up to 48 kHz / 192kbps
ALAC: up to 192 kHz / 24-bit
FLAC: up to 192 kHz / 24-bit
PCM / WAV / AIFF: up to 192 kHz / 24-bit
- Pure Direct: Yes
- EZ Set EQ: Yes
- DA converter: 192kHz/24-bit
- Channels: 5.2
- Rated Power @ 8Ω (20Hz – 20kHz, 2 channels driven, 0.5% THD max): 75 W RMS
- Rated Power @ 4Ω (20Hz – 20kHz, 2 channels driven, 0.5% THD max): 100 W RMS
- HDMI Input/Output: 4 / 1
- Wi-Fi: Yes (2.4/5GHz)
- Bluetooth receive: Yes (v4.1, Low Energy)
- Digital Audio Input: 1 Coax, 1 Optical
- Stereo analog input: 2 single-ended RCA
- Pre-Out (single ended RCA): Subwoofer 1, Subwoofer 2

DIMENSION AND WEIGHT

- Dimensions incl. feet and speaker terminals (H x W x D): 4.3" x 17.0" x 13.7" (109.2mm x 432.0mm x 347.6mm)
- Weight: 12lb (5.4kg)





JBL MA710

VIDEO FEATURES

- HDMI eARC: Yes
- HDMI Audio Return Channel: Yes
- 8K HDMI input connectors (HDMI 2.1, HDCP 2.3 up to 8K/60Hz, 4K/120Hz): 3
- HDR 10+, Dolby Vision: Yes, Yes

AUDIO FEATURES

- File format: MP3 / MPEG-4 AAC: up to 48 kHz / 320kbps
WMA: up to 48 kHz / 192kbps
ALAC: up to 192 kHz / 24-bit
FLAC: up to 192 kHz / 24-bit
PCM / WAV / AIFF: up to 192 kHz / 24-bit
- Pure Direct: Yes
- EZ Set EQ: Yes
- DA converter: 192kHz/24-bit
- Channels: 7.2
- Rated Power @ 8Ω (20Hz – 20kHz, 2 channels driven, 0.5% THD max): 110 W RMS
- Rated Power @ 4Ω (20Hz – 20kHz, 2 channels driven, 0.5% THD max): 160 W RMS
- HDMI Input/Output: 6/ 1
- Wi-Fi: Yes (2.4/5GHz)
- Bluetooth receive: Yes (v5.3, Low Energy, APTX HD, APTX Adaptive)
- Digital Audio Input: 1 Coax, 1 Optical
- Stereo analog input: 2 single-ended RCA (line level), 1 Moving Magnet Phono input + Ground
- Pre-Out (single ended RCA): Stereo Zone 2, Subwoofer 1, Subwoofer 2

DIMENSION AND WEIGHT

- Dimensions incl. feet and speaker terminals (H x W x D): 4.3" x 17.0" x 13.7" (109.2mm x 432.0mm x 347.6mm)
- Weight: 13.8lb (6.3kg)

JBL MA7100HP

VIDEO FEATURES

- HDMI eARC: Yes
- HDMI Audio Return Channel: Yes
- 8K HDMI input connectors (HDMI 2.1, HDCP 2.3 up to 8K/60Hz, 4K/120Hz): 3
- HDR 10+, Dolby Vision: Yes, Yes

AUDIO FEATURES

- File format: MP3 / MPEG-4 AAC: up to 48 kHz / 320kbps
WMA: up to 48 kHz / 192kbps
ALAC: up to 192 kHz / 24-bit
FLAC: up to 192 kHz / 24-bit
PCM / WAV / AIFF: up to 192 kHz / 24-bit
- Pure Direct: Yes
- EZ Set EQ: Yes
- DA converter: 192kHz/24-bit
- Channels: 7.2
- Rated Power @ 8Ω (20Hz – 20kHz, 2 channels driven, 0.5% THD max): 125 W RMS
- Rated Power @ 4Ω (20Hz – 20kHz, 2 channels driven, 0.5% THD max): 175 W RMS
- HDMI Input/Output: 6/ 2
- Wi-Fi: Yes (2.4/5GHz)
- Bluetooth receive: Yes (v5.3, Low Energy, APTX HD, APTX Adaptive)
- Bluetooth transmit: Yes
- Digital Audio Input: 1 Coax, 1 Optical
- Stereo analog input: 2 single-ended RCA (line level), 1 Moving Magnet Phono input + Ground
- Pre-Out (single ended RCA): Stereo Zone 2, Subwoofer 1, Subwoofer 2

DIMENSION AND WEIGHT

- Dimensions incl. feet and speaker terminals (H x W x D): 5.3" x 17.0" x 15.6" (135.0mm x 432.0mm x 396.4mm)
- Weight: 16.4lb (7.4kg)

JBL MA9100HP

VIDEO FEATURES

- HDMI eARC: Yes
- HDMI Audio Return Channel: Yes
- 8K HDMI input connectors (HDMI 2.1, HDCP 2.3 up to 8K/60Hz, 4K/120Hz): 3
- HDR 10+, Dolby Vision: Yes, Yes

AUDIO FEATURES

- File format: MP3 / MPEG-4 AAC: up to 48 kHz / 320kbps
WMA: up to 48 kHz / 192kbps
ALAC: up to 192 kHz / 24-bit
FLAC: up to 192 kHz / 24-bit
PCM / WAV / AIFF: up to 192 kHz / 24-bit
- Pure Direct: Yes
- EZ Set EQ: Yes
- DA converter: 192kHz/24-bit
- Channels: 9.2
- Rated Power @ 8Ω (20Hz – 20kHz, 2 channels driven, 0.5% THD max): 140 W RMS
- Rated Power @ 4Ω (20Hz – 20kHz, 2 channels driven, 0.5% THD max): 240 W RMS
- HDMI Input/Output: 6/ 2
- Wi-Fi: Yes (2.4/5GHz)
- Bluetooth receive: Yes (v5.3, Low Energy, APTX HD, APTX Adaptive)
- Bluetooth transmit: Yes
- Digital Audio Input: 1 Coax, 1 Optical
- Stereo analog input: 2 single ended RCA (line level), 1 Moving Magnet Phono input + Ground
- Pre-Out (single ended RCA): Stereo Zone 2, Subwoofer 1, Subwoofer 2

DIMENSION AND WEIGHT

- Dimensions incl. feet and speaker terminals (H x W x D): 5.3" x 17.0" x 15.6" (135.0mm x 432.0mm x 396.4mm)
- Weight: 16.8lb (7.6kg)

STAGE 2 SERIES



The JBL Stage 2 Series delivers exceptional audio performance to today's music and movie enthusiasts at an affordable price. **Advanced acoustics**, the results of decades of research, deliver an unrivalled sonic experience. Stage 2 offers a **perfect step-up from inferior sounding portable speakers** to performance sound with a design that complements modern home trends.

A perfect step-up from inferior sounding portable speakers

240B



Page 19

250B



Page 20

FS FLOOR-STANDS



Page 21

240H



Page 22

245C



Page 23

260F



Page 24

280F



Page 25

200P




Page 26

220P



Page 27



2-Way **4.5-inch** (114mm) Bookshelf Loudspeaker

The **Stage 240B** is the smallest bookshelf loudspeaker of the JBL Stage Series. It provides impressive performance from a small footprint. The 240B's are versatile enough to be used as main speakers or surrounds. This loudspeaker features a 2-way design with Next Generation patented High-Definition Imaging (HDI™) waveguide geometry, 1-inch (25mm) Anodized Aluminum dome tweeter, and a 4.5-inch (114mm) Polycellulose ribbed cone woofer that provides deep, signature JBL bass.


Available in **Espresso** or **Latte woodgrain** finish with **solid color front baffles and matching grilles.**

HIGHLIGHTS

- 4.5-inch (114mm) Polycellulose Ribbed Cone Woofer
- Precision 2-Way Crossover
- Next Generation HDI™ Horn
- 1-inch (25mm) Anodized Aluminum Tweeter
- 5-Way Binding Posts
- Integrated Wall Mount Bracket
- ¼-20 Insert for Aftermarket Mounts
- Anti-Slip Pads

**Pair with
the Stage FS
Floorstands**





HIGHLIGHTS

- 5.25-inch (130mm) Polycellulose Ribbed Cone Woofer
- Precision 2-Way Crossover
- Next Generation HDI™ Horn
- 1-inch (25mm) Anodized Aluminum Tweeter
- 5-Way Binding Posts
- Anti-Slip Pads

Pair with
the Stage FS
Floorstands

2-Way **5.25-inch** (130mm) Bookshelf Loudspeaker

The **Stage 250B** is largest bookshelf loudspeaker of the JBL Stage Series. It provides impressive performance from a small footprint. The 250B's are versatile enough to be used as main speakers or surrounds. This loudspeaker features a 2-way design with Next Generation patented High-Definition Imaging (HDI™) waveguide geometry, 1-inch (25mm) Anodized Aluminum dome tweeter, and a 5.25-inch (130mm) Polycellulose ribbed cone woofer that provides deep, signature JBL bass.

Available in **Espresso** or **Latte woodgrain** finish with solid color front baffles and matching grilles.



STAGE

250B



STAGE FS FLOORSTANDS

Floorstands for JBL Stage 240B and 250B

The Stage FS Floorstands are the perfect accessory for the JBL **250B** and **240B** bookshelf loudspeakers. Designed to position the loudspeakers at the optimal listening height, the FS provides a stable foundation for great sound. The design perfectly complements the appearance of the Stage 2 models and integrated cable management clips keep things neat and tidy when installed.



HIGHLIGHTS

- Designed to Complement the Stage 2 Series 240B and 250B Bookshelf Loudspeakers
- 27.8-inch Tall: Positions the Loudspeaker at the Optimal Listening Height
- Integrated Plinth with Optional Carpet Spikes
- Integrated Cable Management Clips



2-Way 4.5-inch (114mm) Dolby Atmos® Surround Sound Loudspeaker

The **240H** compact multi-purpose speaker is a truly flexible Stage 2 speaker. With the flip of a switch, it can be set as a Dolby Atmos enabled add-on, or a wall mounted elevation or surround loudspeaker. The 240H features a 2-way way design with Next Generation patented High-Definition Imaging (HDI™) waveguide geometry, 1-inch (25mm) Anodized Aluminum dome tweeter, and a 4.5-inch (114mm) Polycellulose ribbed cone woofer.

Available in **Espresso** or **Latte woodgrain** finish with solid color front baffles and matching grilles.

STAGE 240H

HIGHLIGHTS

- 4.5-inch (114mm) Polycellulose Ribbed Cone Woofer
- Precision 2-Way Crossover
- Next Generation HDI™ Horn
- 1-inch (25mm) Anodized Aluminum Tweeter
- Switchable Modes (Dolby Atmos® on Surround/Height)
- Integrated Wall Mount Bracket
- 1/4-20 Insert for Aftermarket Mounts
- 5-Way Binding Posts
- Anti-Slip Pad



2.5-Way Quad 4.5-inch (114mm) Center Channel Loudspeaker

The Stage **245C** is a center channel loudspeaker and is voiced to blend seamlessly with Stage 2 floorstanding mains, bookshelf mains, or even In-wall mains. This loudspeaker features a 2.5-way design with Next Generation patented High-Definition Imaging (HDI™) waveguide geometry, 1-inch (25mm) Anodized Aluminum dome tweeter, and quad 4.5-inch (114mm) Polycellulose ribbed cone woofers that provides deep, signature JBL bass.


Available in **Espresso** or **Latte woodgrain** finish with **solid color front baffles and matching grilles**.

HIGHLIGHTS

- Quad 4.5-inch (114mm) Polycellulose Ribbed Cone Woofers
- Precision 2.5-Way Crossover
- Next Generation HDI™ Horn
- 1-inch (25mm) Anodized Aluminum Tweeter
- Dual Rear-Firing Tuned Ports
- 5-Way Binding Posts



STAGE
245C



2.5-Way Dual 6.5-inch (165mm) Floorstanding Loudspeaker

The Stage **260F** is the midsize floorstanding loudspeaker of the JBL Stage Series. This floorstanding loudspeaker features a 2.5-way design with Next Generation patented High-Definition Imaging (HDI™) waveguide geometry, 1-inch (25mm) Anodized Aluminum dome tweeter, and dual 6.5-inch (165mm) Polycellulose ribbed cone woofers that provide deep, signature JBL bass.



Available in **Espresso** or **Latte woodgrain** finish with **solid color front baffles and matching grilles.**

HIGHLIGHTS

- Dual 6.5-inch (165mm) Polycellulose Ribbed Cone Woofers
- Precision 2.5-Way Crossover
- Next Generation HDI™ Horn
- 1-inch (25mm) Anodized Aluminum Tweeter
- 5-Way Binding Posts
- Magnetically Attached Grilles
- Dedicated ATMOS 5-Way Binding Posts with Integrated Wire Management
- Dual Flared Racetrack Rear-Firing Tuned Ports
- Compatible with 240H ATMOS Height Module

STAGE 260F





HIGHLIGHTS

- Dual 8-inch (200mm) Polycellulose Ribbed Cone Woofers
- Precision 2.5-Way Crossover
- Next Generation HDI™ Horn
- 1-inch (25mm) Anodized Aluminum Tweeter
- 5-Way Binding Posts
- Magnetically Attached Grilles
- Dedicated ATMOS 5-Way Binding Posts with Integrated Wire Management
- Dual Flared Racetrack Rear-Firing Tuned Ports
- Compatible with 240H ATMOS Height Module

2.5-Way Dual 8-inch (200mm) Floorstanding Loudspeaker

Stage **280F** is the flagship of the new JBL Stage Series. This floorstanding loudspeaker features a 2.5-way design with Next Generation patented High-Definition Imaging (HDI™) waveguide geometry, 1-inch (25mm) Anodized Aluminum dome tweeter, and dual 8-inch (200mm) Polycellulose cone woofers that provide deep, signature JBL bass.

Available in **Espresso** or **Latte woodgrain** finish with **solid color front baffles and matching grilles**.

STAGE 200P

10-inch (250mm) 300W Powered Subwoofer


The Stage **200P** is a 300W powered subwoofer perfectly matched with the entire Stage series. This subwoofer features a front-firing high excursion 10-inch (250mm) Polycellulose lowfrequency woofer with dual rear firing tuned ports that provides deep, powerful, signature JBL bass. A full complement of controls provides for easy system integration.

Available in **Espresso** or **Latte woodgrain** finish with **solid color front baffles and matching grilles.**



HIGHLIGHTS

- 10-inch (250mm) Polycellulose Ribbed Cone Low-Frequency Woofer
- 150W RMS (300W Dynamic)
- Dual Rear-Firing Tuned Ports
- Crossover, Level and Phase Control





STAGE 220P


12-inch (300mm) 500W Powered Subwoofer

The Stage **220P** is the most powerful subwoofer in the Stage series at 500W. This subwoofer features a high excursion 12-inch (300mm) Polycellulose low-frequency woofer with dual rear firing tuned ports that provides deep, powerful, signature JBL bass. A full complement of controls provides for easy system integration. Available in Espresso or Latte woodgrain finish with solid color front baffles and matching grilles.

HIGHLIGHTS

- 12-inch (300mm) Polycellulose Ribbed Cone Low-Frequency Woofer
- 250W RMS (500W Dynamic)
- Dual Rear-Firing Tuned Ports
- Crossover, Level and Phase Control





SPEC COMPARISON

Loudspeaker Systems

	STAGE 240B	STAGE 250B	STAGE 240H	STAGE 245C
TYPE	Bookshelf Loudspeaker System	Bookshelf Loudspeaker System	Dolby Atmos® Surround Sound Loudspeaker System	Center Channel Loudspeaker System
LOW FREQUENCY DRIVER	4.5-inch (114mm) Polycellulose Ribbed Cone	5.25-inch (130mm) Polycellulose Ribbed Cone	4.5-inch (114mm) Polycellulose Ribbed Cone	Quad 4.5-inch (114mm) Polycellulose Ribbed Cone
HIGH FREQUENCY DRIVER	1-inch (25mm) Anodized Aluminum	1-inch (25mm) Anodized Aluminum	1-inch (25mm) Anodized Aluminum	1-inch (25mm) Anodized Aluminum
WAVEGUIDE	Next Generation HDI™	Next Generation HDI™	Next Generation HDI™	Next Generation HDI™
RECOMMENDED AMPLIFIER POWER	20-125W	20-150W	20-150W	20-150W
FREQUENCY RESPONSE 6DB	53Hz-25kHz	50Hz-25kHz	85Hz-25kHz	55Hz-25kHz
SENSITIVITY @ 1M, 2.83V	85dB	86dB	87dB	91dB
NOMINAL IMPEDANCE	6 Ohms	6 Ohms	6 Ohms	6 Ohms
CROSSOVER FREQUENCIES	1.4Khz	1.7Khz	1.6kHz	1.3kHz/2.0kHz
ENCLOSURE TUNING	Bass Reflex via Rear-Firing Tuned Port	Bass Reflex via Rear-Firing Flared Tuned Port	Sealed	Bass Reflex via Dual Rear-Firing Tuned Ports
FINISH	Espresso or Latte	Espresso or Latte	Espresso or Latte	Espresso or Latte
DIMENSIONS (HXWxD)	10.7in x 6.9in x 8.5in (272mm x 175mm x 217mm)	12.6in x 7.9in x 9.5in (321mm x 200mm x 241mm)	6.9in x 7.1in x 10.6in (176mm x 180mm x 270mm)	6.1in x 29.1in x 8.5in (156mm x 740mm x 217mm)
DIMENSIONS (HXWxD) WITHOUT BASE	N/A	N/A	N/A	N/A
PRODUCT WEIGHT	10.1 lbs. (4.6 kg)	12.4 lbs.(5.6kg)	7.6 lbs. (3.5 kg)	26.4 lbs. (12.0kg)
SHIPPING WEIGHT	22.9 lbs. (10.4kg)	30. lbs. (13.6kg)	18.8 lbs.(8.5kg)	32.2 lbs. (14.7kg)
SHIPPING UNITS OF MEASURE	Pair	Pair	Pair	Each

Subwoofers

STAGE 260F	STAGE 280F		STAGE 200P	STAGE 220P
Floorstanding Loudspeaker System	Floorstanding Loudspeaker System	TYPE	Powered Subwoofer	Powered Subwoofer
Dual 6.5-inch (165mm) Polycellulose Ribbed Cone	Dual 8-inch (200mm) Polycellulose Ribbed Cone	LOW FREQUENCY DRIVER	10-inch Polycellulose Ribbed High Excursion	12-inch (300mm) Polycellulose Ribbed High Excursion
1-inch (25mm) Anodized Aluminum	1-inch (25mm) Anodized Aluminum	RECOMMENDED AMPLIFIER POWER	150W RMS (300W Dynamic)	250W RMS (500W Dynamic)
Next Generation HDI™	Next Generation HDI™	FREQUENCY RESPONSE 6DB	28Hz-150Hz	26Hz-150Hz
20-225W	20-225W	CROSSOVER FREQUENCIES	50Hz-150Hz (variable) 24dB/octave	50Hz-150Hz (variable) 24dB/octave
40Hz-25kHz	33Hz-25kHz	ENCLOSURE TUNING	Bass-Reflex via Dual Rear-Firing Tuned Ports	Bass-Reflex via Dual Rear-Firing Tuned Ports
90dB	91dB	FINISH	Espresso or Latte	Espresso or Latte
6 Ohms	6 Ohms	DIMENSIONS (HXWXD)	14.2in x 13.8in x 15.2in (361mm x 350mm x 385mm)	16.4in x 15.9in x 17.5in (416mm x 405mm x 444mm)
1.3kHz/1.7kHz	1.1kHz/2.1kHz	PRODUCT WEIGHT	31.8 lbs. (14.4 kg)	41.2 lbs. (18.7 kg)
Bass Reflex via Dual Flared Racetrack Rear-Firing Tuned Ports	Bass Reflex via Dual Flared Racetrack Rear-Firing Tuned Ports	SHIPPING WEIGHT	40.3lbs. (18.3kg)	51.4 lbs. (23.3kg)
Espresso or Latte	Espresso or Latte	CONTROLS	35Hz-150Hz	35Hz-150Hz
40.8in x 12.2in x 14.3in (1036mm x 310mm x 362mm)	43.8in x 14.1in x 16.5in (1113mm x 357mm x 420mm)	CONTROLS	Auto Power, Crossover, Level, Phase	Auto Power, Crossover, Level, Phase
40.8in x 7.9in x 13.9in (1036mm x 200mm x 354mm)	43.8in x 9.5in x 16.1in (1113mm x 241mm x 409mm)	INPUTS	One (1) Line-Level LFE Input	One (1) Line-Level LFE Input
43.3 lbs. (19.5kg)	55.2 lbs. (25.1 kg)	POWER REQUIREMENTS	120V, 60Hz (US) 220-230V, 50/60Hz (EU)	120V, 60Hz (US) 220-230V, 50/60Hz (EU)
53.1 lbs. (24.1kg)	67.5 lbs. (30.6kg)	POWER CONSUMPTION	<0.5W (standby) / 205W/1.6A (max – 230V) / 205W/3.15A (max – 120V)	<0.5W (standby) / 205W/1.6A (max – 230V) / 205W/3.15A (max – 120V)
Each	Each			



SYSTEM SETUPS

Easy Music Listening



THE SETUP

- Stereo Setup 2.0
- MA310
- Stage 240Bs with the FS Stands

Performance Alternative for a Soundbar



THE SETUP

- Stereo Setup 2.1
- MA310
- Stage 250Bs with the FS Stands
- Stage 200P



UPGRADE

- Surround Sound System 5.1
- MA510
- Stage 250Bs with the FS Stands
- Stage 245C
- Stage 200P

Stunning Surround Sound



THE SETUP

- Surround Sound System 5.1
- MA510
- Stage 260Fs
- Stage 245C
- Stage 240Bs with FS Stands for surround channels
- Stage 220P



UPGRADE

- Surround Sound System 7.1
- MA710
- Stage 260Fs
- Stage 245C
- Stage 250Bs with FS Stands for surround channels
- Stage 220P

SYSTEM SETUPS

The Ultimate Immersive Sound with Dolby Atmos



THE SETUP

- Surround Sound System 5.1.2
- MA7100HP
- Stage 260Fs
- Stage 245C
- Stage 240Bs with FS Stands for surround channels
- Stage 240Hs, Dolby Atmos Enabled
- Stage 220P



UPGRADE

- Surround Sound System 7.1.2
- MA9100HP
- Stage 280Fs
- Stage 245C
- Stage 250Bs with FS Stands for surround channels
- Stage 240Hs, Dolby Atmos Enabled
- Stage 220P



